EAST Search History

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------------|------|---|---|---------------------|---------|---------------------|
| L3 | 2 | "6971028".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/05 10:25 |
| S1 | 125 | (intrusion near5 detect\$5) and ((sort\$5 or filter\$5) near5 attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:43 |
| S2 | 13 | S1 and ((general and specific) near5 attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 07:38 |
| S 3 | 3 | S2 and analyz\$5 and filter \$5 and (generat\$5 near5 alert) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:05 |
| S4 | 2 | S2 and analyz\$5 and (generat\$5 near5 alert) and firewall | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:05 |
| S5 | 26 | S1 and analyz\$5 and (generat\$5 near5 alert) and firewall | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:08 |
| S6 | 8 | S5 and (signature near5 database) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:20 |
| S7 | 7 | S6 and ((add\$5 or stor\$5) near5 signature) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:35 |
| S8 | 19 | S5 not S7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:35 |

| S9 | 5 | S5 and ((log\$5 near5 event) with database) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:42 |
|-----|----|---|---|----|----|---------------------|
| S10 | 0 | "SYSTEM AND METHOD OF DEFINING THE SECURITY VULNERABILITIES OF A COMPUTER SYSTEM" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:42 |
| S11 | 21 | (intrusion near5 detect\$5) and ((sort\$5 filter\$5 ananlyz\$5) near5 (attack vulnerabilit\$3 compromi \$3)) and weight | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:44 |
| S12 | 2 | S11 and ((log event) near5 database) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:45 |
| S13 | 2 | S11 and (signature near5 database) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:45 |
| S14 | 2 | S13 not S12 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:48 |
| S15 | 2 | "20040098623" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/19 08:48 |
| S16 | 52 | (intrusion near4 detect\$5) and ((detect\$5 and analyz \$5) near5 attack) and (generat\$5 near6 alert) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/21 12:23 |
| S17 | 15 | S16 and rate and frequency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/21 12:24 |
| S18 | 7 | S16 and ((rate frequency) near5 attack) and log\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/21 12:00 |

| S19 | 8 | 726/23.ccls. and (intrusion near5 detect\$5) and (analyz\$5 near5 attack) and (generat\$5 near5 alarm) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/21 12:08 |
|-----|----|---|---|----|----|---------------------|
| S20 | 1 | 726/25.ccls. and (intrusion near5 detect\$5) and (analyz\$5 near5 attack) and (generat\$5 near5 alarm) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/21 12:20 |
| S21 | 0 | ((intrusion near5 detect \$5) and (analyz\$5 near5 attack) and (generat\$5 near5 alarm)).clm. and 726/23,25.ccls. | US-PGPUB; USPAT | OR | ON | 2007/03/21 12:21 |
| S22 | 0 | ((intrusion near5 detect \$5) and (analyz\$5 near5 attack) and (generat\$5 near5 alarm)).clm. | US-PGPUB; USPAT | OR | ON | 2007/03/21 12:21 |
| S23 | 83 | (intrusion near4 detect\$5) and ((detect\$5 and analyz \$5) near5 (compromize attack vulnerability)) and (generat\$5 near6 (warn\$5 or alert)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/21 12:23 |
| S24 | 9 | S23 and ((rate frequency) near5 (attack vulnerability compromiz)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/21 12:25 |
| S25 | 5 | (intrusion near5 detection) and ((traffic and log and event) near5 analyzer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 07:46 |
| S26 | 10 | (intrusion near5 detection) and ((log and event) near5 analyzer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 07:48 |
| S27 | 5 | S26 not S25 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 07:47 |
| S28 | 4 | (intrusion near5 detection) and ((analyz\$5 near5 event) with (generat\$5 near5 alert)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 07:58 |

| S29 | 4 | S28 not S27 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 07:58 |
|-----|-----|--|---|----|----|---------------------|
| S30 | 1 | ((determin\$5 test\$5) near5 vulnerabilit\$5) and ((analyz\$5 near5 event) with (generat\$5 near5 alert)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 08:00 |
| S31 | 588 | (compar\$5 near5 (events attacks)) and (generat\$5 near6 alert) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 09:01 |
| S32 | 0 | S31 and (determin\$5 near5 charactersitics) and ((first and second) near6 (host client)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 08:04 |
| S33 | 4 | S31 and (determin\$5 near5 (fingerprint character \$5 signature)) and ((first and second) near6 (host client)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 08:08 |
| S34 | 8 | S31 and (compar\$5 near5 (fingerprint character\$5 signature)) and ((first and second) near6 (host client)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 08:08 |
| S35 | 4 | S34 not S33 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 08:10 |
| S36 | 222 | (alert\$5 near5 (new near5 (events attacks))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 08:11 |
| S37 | 0 | ((alert\$5 near5 (new near5 (events attacks))) with (second near5 (client host "network device"))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 08:12 |
| S38 | 0 | ((alert\$5 near5 (new near5 (events attacks))) with ((second other) near5 (client host "network device"))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 08:12 |

| S39 | 21 | ((alert\$5 near5 (new near5 (events attacks))) and ((second other) near5 (client host "network device"))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 08:56 |
|-----|-----|---|---|----|----|---------------------|
| S40 | 4 | S39 and intrusion | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 08:58 |
| S41 | 111 | (compar\$5 near5 (events attacks)) and ((generat\$5 near6 alert) with (new near5 (events attacks))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 09:04 |
| S42 | 1 | (compar\$5 near5 (events attacks)) and ((generat\$5 near6 (alert warning)) with (new near5 (attack vulnerabilit\$5 compromi \$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 09:04 |
| S43 | 8 | (detect\$5 near5 (events attack vulnerabilit\$5 comprom\$5)) and ((generat\$5 near6 (alert warning)) with (new near5 (attack vulnerabilit\$5 compromi\$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 10:47 |
| S44 | 7 | S43 not S42 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 09:10 |
| S45 | 5 | ((first and second) near6 (warning alert)) and S43 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 09:13 |
| S46 | 59 | hill.in. and intrusion | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 09:13 |
| S47 | 1 | "20030084344".PN. | US-PGPUB | OR | ON | 2007/04/02 09:40 |
| S48 | 701 | (generat\$5 near5 (alert warning)) and (detect\$5 near5 intru\$6) | US-PGPUB | OR | ON | 2007/04/02 09:41 |
| S49 | 94 | S48 and (event near5 database) | US-PGPUB | OR | ON | 2007/04/02 11:01 |
| S50 | 0 | S49 and (((test\$5 check \$5) near8 devices) with vulnerabilit\$5) | US-PGPUB | OR | ON | 2007/04/02 10:04 |

| S51 | 334 | 726/23-26.ccls. and (detect \$5 near5 intrusion) | US-PGPUB | OR | ON | 2007/08/17 11:06 |
|-----|-----|---|---|----|----|---------------------|
| S52 | 3 | S51 and S43 | US-PGPUB | OR | ON | 2007/04/02 10:06 |
| S53 | 76 | S51 and (analyz\$5 near6 (vulnerabilit\$4 attack compromi\$5)) | US-PGPUB | OR | ON | 2007/04/02 10:07 |
| S54 | 3 | \$53 and (((generat\$5 issu \$5) near6 alert) with (new near5 (attack vulnerabilit \$5 event compromi\$4))) | US-PGPUB | OR | ON | 2007/04/02 10:08 |
| S55 | 8 | ((detect\$5 check\$5) near5 (events attack vulnerabilit \$5 comprom\$5)) and ((generat\$5 near6 (alert warning)) with (new near5 (attack vulnerabilit\$5 compromi\$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 10:48 |
| S56 | 7 | S55 and ((frequency rate) near8 (attack vulnerabilit \$4 compromiz\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/02 10:49 |
| S57 | 26 | S49 and ((first and second) near5 network) | US-PGPUB | OR | ON | 2007/04/03 12:51 |
| S58 | 0 | "6671812".pn. | US-PGPUB | OR | ON | 2007/04/03 12:52 |
| S59 | 2 | "6671812".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/03 12:53 |
| S60 | 2 | "6775780".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/03 13:02 |
| S61 | 2 | "7165174".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/03 13:30 |
| S62 | 2 | "6772346".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/03 13:30 |
| S63 | 2 | "20040098623" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 14:46 |

| S64 | 2 | "20030188194" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 15:47 |
|-----|-----|---|---|----|----|---------------------|
| S65 | 3 | "20020178383" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 16:03 |
| S66 | 10 | (detect\$5 with ((general and specific) near5 attack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 16:11 |
| S67 | 0 | (detect\$5 with ((general and client-specific) near5 (attack vulnerability comprom\$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 16:12 |
| S68 | 3 | (detect\$5 with ((general and ((client node device) near5 specific)) with (attack vulnerability comprom\$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 16:15 |
| S69 | 2 | S68 not S66 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 16:14 |
| S70 | 35 | ((general and ((client node device) near5 specific)) with (attack vulnerabilit\$2 comprom\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 16:15 |
| S71 | 33 | S70 not S69 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 09:55 |
| S72 | 237 | (ids and ((detect\$5 and analyz\$5 and log\$5) near5 attack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 09:57 |
| S73 | 6 | S72 and (filter with alert) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 10:01 |

| S74 | 20 | S72 and ((classif\$5 categoriz\$5) near6 attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 10:02 |
|-----|-------|---|---|----|----|---------------------|
| S75 | 13 | S74 and (plurality near5 network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 10:06 |
| S76 | 0 | S74 and (plurality near4 firewall) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 10:06 |
| S77 | 1 | S74 and ((multiple plurality) near4 firewall) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 10:19 |
| S78 | 2 | "20030046583" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 10:20 |
| S79 | 2 | "20030226038" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 10:52 |
| S80 | 85305 | (plurality near3 (network analyzer firewall)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:13 |
| S81 | 0 | (plurality near3 (network analyzer firewall)).clm. and "edge detection network".clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:14 |
| S82 | 0 | (plurality near3 (network analyzer firewall)).clm. and "edge detection network" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:14 |
| S83 | 0 | (plurality near3 (analyzer firewall)).clm. and "edge detection network" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:14 |

| S84 | 0 | ((plurality multiple) near3 (analyzer firewall)).clm. and "edge detection network" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:15 |
|-----|------|--|---|----|----|---------------------|
| S85 | 0 | ((plurality multiple) near3 (analyzer firewall)) and "edge detection network" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:15 |
| S86 | 2 | IDS and "edge detection network" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:16 |
| S87 | 3367 | IDS and (edge NEAR5 (network database)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:16 |
| S88 | 70 | IDS and (edge NEAR5 (network database)) and ((detect\$5 analyz\$5 log\$5) near5 attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:17 |
| S89 | 6 | S88 and ((filter\$5 classif\$5 categor\$5) near5 attack) and (generat\$5 near5 alert) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:18 |
| S90 | 4 | S89 not S86 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:23 |
| S91 | 2 | S88 and ((classif\$5 and log \$5) near5 attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:53 |
| S92 | 2 | S91 not S86 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:24 |
| S93 | 0 | S88 and (((personalized client-specific) and general) near5 attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:27 |

| S94 | 3 | S88 and (((personalized client-specific specific) and general) near5 attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:43 |
|------|-----|--|---|----|----|---------------------|
| S95 | 0 | S88 and (((personalized client-specific specific host-based) and (general and "network based" network-based)) near5 (attack intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:45 |
| S96 | 3 | S88 and (((personalized client-specific specific host-based) and (general and "network based" networkbased)) with (attack intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:52 |
| S97 | 149 | (((personalized client- specific specific host- based) and (general and "network based" network- based)) with (attack intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:52 |
| S98 | 9 | \$97 and ((classif\$5 and log \$5) near5 (attack intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:57 |
| S99 | 83 | S97 and ((network-based and host-based) near5 (attack intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:03 |
| S100 | 3 | S99 and ((plurality multiple) near5 firewalls) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 12:57 |
| S101 | 126 | S97 and (((network-based network) and (host client host-based)) near5 (attack intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:20 |
| S102 | 0 | S101 and ((worm and virus) near5 (network near4 (attack intrusion))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:04 |
| S103 | 1 | S101 and ((worm and virus) with (network near4 (attack intrusion))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:05 |

| S104 | 22 | S101 and (targeted near4 (attack intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:05 |
|------|----|--|---|----|----|---------------------|
| S105 | 11 | S101 and (((network- based network) and (host client host-based)) near5 (polic\$3 rules)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:32 |
| S106 | 0 | S101 and (((network- based network) and (host client host-based)) near5 (detect\$5 with (polic\$3 rules))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:24 |
| S107 | 21 | (plurality multiple) with (log near3 analyzer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:32 |
| S108 | 0 | S107 and (detect\$5 with ((network and host) near5 (intrusion attack))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:33 |
| S109 | 2 | S107 and (detect\$5 near5 (intrusion attack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:34 |
| S110 | 1 | S107 and (analyz\$5 near5 (intrusion attack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:35 |
| S111 | 1 | S107 and (analyz\$5 near5 (intrusion attack vulnerability)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 13:35 |
| S112 | 1 | S107 and (analyz\$5 near5 (intrusion attack vulnerabilit\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 15:51 |
| S113 | 37 | ((plurality multiple couple) near4 analyzer) and (analyz\$5 near5 (intrusion attack vulnerabilit\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 15:52 |

| S114 | 4 | S113 and ((plurality multiple) with firewall) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 16:09 |
|------|----|---|---|----|----|---------------------|
| S115 | 2 | S113 and ((plurality multiple) near5 firewall) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 16:27 |
| S116 | 2 | S113 and ((plurality multiple) near5 (firewall "log analyzer")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 16:10 |
| S117 | 69 | ((analyz\$5 log\$3) near5 (intrusion attack vulnerabilit\$3))and ((plurality multiple) near5 firewall) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 16:12 |
| S118 | 69 | ((analyz\$5 log\$3) near5 (intrusion attack vulnerabilit\$3)) and ((plurality multiple) near5 firewall) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 16:27 |
| S119 | 10 | S118 and ((classif\$5 categoriz\$5 group\$4) near5 (attack vulnerability)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 12:47 |
| S120 | 2 | S113 and ((plurality multiple) near5 (firewall proxy)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 16:27 |
| S121 | 84 | ((analyz\$5 log\$3) near5 (intrusion attack vulnerabilit\$3)) and ((plurality multiple) near5 (firewall proxy)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 16:29 |
| S122 | 2 | "20040098623" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 16:28 |
| S123 | 5 | ((analyz\$5 log\$3) near5 (intrusion attack vulnerabilit\$3)) and ((plurality multiple) near5 (firewall proxy)) and (edge near3 network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 16:29 |

| S124 | 5 | S123 not S122 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/13 16:31 |
|------|---------|--|---|----|----|---------------------|
| S125 | 0 | ((classif\$5 categoriz\$5 group\$4) near5 (attack vulnerability)) same ((random general) and ((user client device) near3 specific)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 12:53 |
| S126 | 52 | ((attack vulnerability)) with ((random general) and ((user client device) near3 specific)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 12:53 |
| S127 | 1246421 | IDS (intrusion near3 detection) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 13:42 |
| S128 | 207 | S127 and (((random general) and (((client machine device) near3 specific) client-specific device-specific targeted)) near6 (attack vulnerability)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:16 |
| S129 | 193 | S128 and (analyz\$5 near5 (attack vulnerability)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 13:48 |
| S130 | 185 | S128 and ((analyz\$5 and log\$5) near5 (attack vulnerability)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 13:48 |
| S131 | 40 | S130 and (severity importance) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 13:59 |
| S132 | 145 | S130 not S131 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 13:59 |
| S133 | 767698 | S132 (impact) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 13:59 |

| S134 | 139 | S132 and (impact) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 13:59 |
|------|-----|---|---|----|----|---------------------|
| S135 | 143 | S132 and (classif\$5 categoriz\$5 group\$5) with (attack vulnerability) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:02 |
| S136 | 0 | S135 and (generat\$5 near5 (alarm warning)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:02 |
| S137 | 2 | S135 and (alarm warning) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:02 |
| S138 | 2 | S135 and firewall | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:02 |
| S139 | 143 | S132 and ((classif\$5 categoriz\$5 group\$5) with (attack vulnerability)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:02 |
| S140 | 142 | S139 and analyzer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:03 |
| S141 | 143 | S139 and ((analyz\$5 log \$5) near5 (attack vulnerability)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:03 |
| S142 | 2 | S141 and (multiple plurality couple) near8 network | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:03 |
| S143 | 1 | S142 not S138 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:04 |

| S144 | 1 | S142 not S137 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:05 |
|------|-----|--|---|----|----|---------------------|
| S145 | 3 | S141 and (access near7 (rules policies)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:06 |
| S146 | 1 | S141 and (compar\$5 near7 (attack vulnerability)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:08 |
| S147 | 140 | S141 and ((check\$5 contrast\$5) near7 (attack vulnerability)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:14 |
| S148 | 0 | 726/23,25.ccls. and S147 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:14 |
| S149 | 0 | 726/23-25.ccls. and S147 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:50 |
| S150 | 23 | 726/22-25.ccls. and (((random general) and (((client machine device) near3 specific) client- specific device-specific targeted)) near6 (attack vulnerability)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:48 |
| S151 | 18 | S150 and (rate frequency) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:38 |
| S152 | 7 | S150 and ((rate frequency) near6 (attack vulnerability compromi\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:44 |
| S153 | 2 | "20040098623" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:44 |

| S154 | 4 | S150 and (match\$5 with attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:49 |
|------|-------|---|---|----|----|---------------------|
| S155 | 351 | 726/23-25.ccls. and ((compar\$5 match\$5 check \$5) near7 signature) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:50 |
| S156 | 3 | 726/23-25.ccls. and (((compar\$5 match\$5 check\$5) near7 signature) same ((general ranom) near4 attack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:52 |
| S157 | 2 | 726/23-25.ccls. and (((compar\$5 match\$5 check\$5) near7 signature) same (((general ranom) and (targeted specific)) near4 attack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:52 |
| S158 | 2 | 726/23-25.ccls. and (((compar\$5 match\$5 check\$5) near7 signature) same (((general ranom) and (targeted specific)) near4 attack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:52 |
| S159 | 2 | 726/23-25.ccls. and (((compar\$5 match\$5 check\$5) near7 (characterisitc signature)) same (((general ranom) and (targeted specific)) near4 attack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:54 |
| S160 | 2 | 726/23-25.ccls. and (((compar\$5 match\$5 check\$5) near7 (characterisitc signature)) same (((general ranom) and (targeted specific)) near4 (vulnerability attack))) and ((DoS "denial of service") and (worm virus)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 14:59 |
| S161 | 10976 | ((classif\$5 categor\$4 group \$5) with (attack vulnerability compromiz \$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 15:01 |
| S162 | 0 | ((classif\$5 categor\$4 group \$5) near7 (attack vulnerabilit\$3 compromiz \$5)) with (logged near5 (attack vulnerabilit\$3 compromiz\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 15:02 |

| S163 | 12 | ((classif\$5 categor\$4 group \$5) near7 (attack vulnerabilit\$3 compromiz \$5)) with ((stored recorded logged) near5 (attack vulnerabilit\$3 compromiz\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 15:11 |
|------|--------|--|---|----|----|---------------------|
| S164 | 20 | ((classif\$5 categor\$4 group \$5 defin\$5) near7 (attack vulnerabilit\$3 compromiz \$5)) with ((stored recorded logged) near5 (attack vulnerabilit\$3 compromiz\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 15:11 |
| S165 | 8 | S164 not S163 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 15:59 |
| S166 | 1 | sherkat.xa. and firewall and pinhole | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/14 15:59 |
| S167 | 170366 | ((plurality multiple couple) near5 (networks subnets)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/15 16:52 |
| S168 | 10 | S167 and ((classif\$5 categoriz\$5 group\$5) near5 (attack vulnerabilit \$4)) with log\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/15 16:57 |
| S169 | 6 | S167 and ((classif\$5 categoriz\$5 group\$5) near5 (attack vulnerabilit \$4)) with (log\$4 near5 (attack vulnerabilit\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/15 17:03 |
| S170 | 0 | (detect\$5 near4 intrusion) and (((classif\$5 categoriz \$5 group\$5 rank\$5) near5 (attack vulnerabilit\$4 compromiz\$5)) same ((compar\$5 check\$5) near7 ((logged recorded database datastore table) near5 (attack vulnerabilit \$4 compromiz\$5)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/15 17:07 |

| S171 | 3 | (((classif\$5 categoriz\$5 group\$5 rank\$5) near5 (attack vulnerabilit\$4 compromiz\$5)) same ((compar\$5 check\$5) near7 ((logged recorded database datastore table) near5 (attack vulnerabilit \$4 compromiz\$5)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/15 17:07 |
|------|------|--|---|----|----|---------------------|
| S172 | 18 | (((classif\$5 categoriz\$5 group\$5 rank\$5) with (attack vulnerabilit\$4 compromiz\$5)) same ((compar\$5 check\$5) with ((logged recorded database datastore table) near5 (attack vulnerabilit \$4 compromiz\$5)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/15 17:31 |
| S173 | 3231 | 726/23-27.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/15 17:31 |
| S174 | 55 | (((classif\$5 categoriz\$5 group\$5 rank\$5 determin \$5) with (attack vulnerabilit \$4 compromiz\$5)) same ((compar\$5 check\$5) with ((logged recorded database datastore table) near5 (attack vulnerabilit \$4 compromiz\$5)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/15 17:32 |
| S175 | 25 | S174 and S173 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/15 17:42 |
| S176 | 30 | S174 not S175 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/15 17:42 |
| S177 | 15 | S176 and (IDS intrusion) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/16 11:13 |
| S178 | 2 | "5541995".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/16 11:13 |
| S179 | 1049 | 726/23-27.ccls. and ((detect\$5 near5 intrusion) IDS) | US-PGPUB | OR | ON | 2007/08/17 11:06 |

| S180 | 262 | S179 and ((characteriz\$5 group\$5 classif\$5 determin \$5 categoriz\$5) with (attack vulnerabilit\$4 compromiz\$4)) | US-PGPUB | OR | ON | 2007/08/17 11:07 |
|------|------|---|----------|----|----|---------------------|
| S181 | 49 | S180 and (("based on" according compa\$5 check \$5 test\$5) with ((logged recorded database datastore "data store" "data base" table) near7 (attack vulnerabilit\$4 compromiz\$4))) | US-PGPUB | OR | ON | 2007/08/17 11:10 |
| S182 | 50 | S180 and (("based on" accord\$5 compa\$5 check \$5 test\$5) with ((logged recorded database datastore "data store" "data base" table) near7 (attack vulnerabilit\$4 compromiz\$4))) | US-PGPUB | OR | ON | 2007/08/17 11:35 |
| S183 | 22 | S180 and (analyz\$5 with ((logged recorded database datastore "data store" "data base" table) near7 (attack vulnerabilit \$4 compromiz\$4))) | US-PGPUB | OR | ON | 2007/08/17 11:35 |
| S184 | 16 | S183 not S182 | US-PGPUB | OR | ON | 2007/08/17 11:45 |
| S185 | 20 | S182 and ((random general) with (attack vulnerabilit\$4 compromiz \$4)) | US-PGPUB | OR | ON | 2007/08/17 11:45 |
| S186 | 18 | S182 and ((random general) near4 (attack vulnerabilit\$4 compromiz \$4)) | US-PGPUB | OR | ON | 2007/08/17 12:38 |
| S187 | 0 | "7017186".pn. | US-PGPUB | OR | ON | 2007/08/17 12:38 |
| S188 | 1 | "10208485" | US-PGPUB | OR | ON | 2007/08/17 12:39 |
| S189 | 1 | "10/208485" | US-PGPUB | OR | ON | 2007/08/17 12:39 |
| S190 | 1 | "10/208,485" | US-PGPUB | OR | ON | 2007/08/17 12:39 |
| S191 | 8 | day.in. and intrusion | US-PGPUB | OR | ON | 2007/08/17 15:36 |
| S192 | 1 | "20060107317" | US-PGPUB | OR | ON | 2007/08/18 16:34 |
| S193 | 5928 | edge near5 network | US-PGPUB | OR | ON | 2007/08/18 16:35 |

| S194 | 2060 | S193 and (ids "intrusion detection") | US-PGPUB | OR | ON | 2007/08/18 16:35 |
|------|------|--|---|----|----|---------------------|
| S195 | 83 | S194 and (detect\$5 near5 (attack vulnerabilit\$4)) | US-PGPUB | OR | ON | 2007/08/18 16:36 |
| S196 | 73 | S195 and ((plurality multiple couple different) near5 network) | US-PGPUB | OR | ON | 2007/08/18 16:36 |
| S197 | 74 | S195 and ((plurality multiple couple different) near5 (network firewall analyzer detector)) | US-PGPUB | OR | ON | 2007/08/18 16:37 |
| S198 | 7 | S197 and ("denial of service" denial-of-service) and (worm virus) | US-PGPUB | OR | ON | 2007/08/18 16:44 |
| S199 | 3 | S197 and ("denial of service" denial-of-service) and ((attack vulnerabilit \$4) near5 signature) | US-PGPUB | OR | ON | 2007/08/18 16:43 |
| S200 | 0 | S199 not S198 | US-PGPUB | OR | ON | 2007/08/18 16:43 |
| S201 | 19 | \$197 and ((database log \$5 table datastore) with (worm virus signature)) | US-PGPUB | OR | ON | 2007/08/18 16:45 |
| S202 | 16 | S201 not S198 | US-PGPUB | OR | ON | 2007/08/18 17:05 |
| S203 | 6 | intrusion and (network near4 (alert warning notification)) and ((log\$s and (group\$5 classif\$5 categoriz\$5)) near5 attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:25 |
| S204 | 70 | intrusion and (network near4 (alert warning notification)) and (log\$5 near5 analyz\$5) and firewall | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:28 |
| S205 | 9 | \$204 and ((group\$5 classif \$5 categoriz\$5) near6 attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:32 |
| S206 | 0 | \$204 and ((group\$5 classif \$5 categoriz\$5) near6 attack) and ((first and second) near5 analyzer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:33 |
| S207 | 1 | \$204 and ((group\$5 classif \$5 categoriz\$5) near6 attack) and ((network and (client-specific (client near2 specific))) near5 attack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:34 |

| S208 | 2 | S204 and ((group\$5 classif \$5 categoriz\$5) with (attack vulnerabilit\$3 intrusion)) and ((network and (client-specific (client near2 specific))) with (attack vulnerabilit\$3 intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:36 |
|------|-----|---|---|----|----|---------------------|
| S209 | 2 | (alert warning notification) and (analyz\$5 near5 (log \$5 database repository datastore "data store")) and ((group\$5 classif\$5 categoriz\$5) with (attack vulnerabilit\$3 intrusion)) and ((network and (client-specific (client near2 specific))) with (attack vulnerabilit\$3 intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:50 |
| S210 | 13 | ((log\$5 record\$5) near5 (attack vulnerabilit\$3 intrusion)) with ((multiple "more than one" plurality couple) near5 network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:45 |
| S211 | 1 | ((generat\$5 creat\$5 issu \$5) near6 (alert warning notification)) and (analyz \$5 near5 (log\$5 database repository datastore "data store")) and ((group\$5 classif\$5 categoriz\$5) with (attack vulnerabilit\$3 intrusion)) and ((network and (client-specific (client near2 specific))) with (attack vulnerabilit\$3 intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:51 |
| S212 | 122 | ((generat\$5 creat\$5 issu \$5) near6 (alert warning notification)) and ((group \$5 classif\$5 categoriz\$5) with (attack vulnerabilit\$3 intrusion)) and (((network general) and (client- specific (client near2 specific) specific)) with (attack vulnerabilit\$3 intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:57 |
| S213 | 0 | S212 and (priorotiz\$5 near5 handl\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:58 |

| S214 | 121 | S212 and (priority importance severity level) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 14:59 |
|------|------|--|---|----|----|---------------------|
| S215 | 98 | S212 and ((priority importance severity level) near5 (attack vulnerabilit \$4 compromiz\$5 intrusion)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 15:00 |
| S216 | 17 | S212 and (((priority importance severity level) near5 (attack vulnerabilit \$4 compromiz\$5 intrusion)) with ((general network) near5 attack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 15:50 |
| S217 | 2 | "7152242".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 15:51 |
| S218 | 2 | "5625518".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 15:52 |
| S219 | 2 | "5625815".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 15:54 |
| S220 | 1290 | ((network general) and (specific client)) near5 (attack intrusion vulnerabili \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 15:56 |
| S221 | 8044 | ((network general) and (specific client)) near5 (event incident attack intrusion vulnerabili\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 15:56 |
| S222 | 4092 | S221 and ((log\$5 record \$5) near5 (attack vulnerabilit\$3 event incident)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 15:58 |
| S223 | 1819 | S222 and (handl\$5 near5 (attack vulnerabilit\$5 event incident)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 16:04 |

| S224 | 163 | S222 and (prioritiz\$5 near5 (attack vulnerabilit \$5 event incident)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 16:12 |
|------|------|--|---|----|----|---------------------|
| S225 | 86 | S224 and ((generat\$5 creat \$5 issu\$5 send\$5) near5 (alert warning notification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 16:14 |
| S226 | 33 | S225 and intrusion | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/16 16:36 |
| S227 | 16 | S226 and ((group\$5 classif \$5 categoriz\$5) near6 (attack vulnerabilit\$3 incident)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/26 07:25 |
| S228 | 2 | "20050102530" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/26 08:14 |
| S229 | 1471 | ((format\$5 convert\$5 transform\$5) near6 request) with (XML "extensible markup language") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/26 08:27 |
| S230 | 76 | S229 and ((evaluat\$5 analyz\$5) near7 (XML "extensible markup language")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/26 08:17 |
| S231 | 15 | S229 and ((evaluat\$5 analyz\$5) near7 ((XML "extensible markup language") near3 request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/26 08:18 |
| S232 | 560 | (request\$5 near5 access) and ((format\$5 convert\$5 transform\$5) near6 request) with (XML "extensible markup language") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/26 08:29 |
| S233 | 0 | (request\$5 near5 access) and ((((format\$5 convert \$5 transform\$5) near6 request) near10 (XML "extensible markup language")) with ((before upon when at) near3 (evaluat\$5 analyz\$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/26 08:30 |

| S234 | 1 | ((((format\$5 convert\$5 transform\$5) near6 request) near10 (XML "extensible markup language")) with ((before upon when at) near3 (evaluat\$5 analyz\$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/26 08:31 |
|------|------|---|---|----|----|---------------------|
| S235 | 7 | ((((format\$5 convert\$5 transform\$5) near6 request) near10 (XML "extensible markup language")) with ((evaluat \$5 analyz\$5) near5 (xml near3 request))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/26 08:33 |
| S236 | 1403 | (((format\$5 convert\$5 transform\$5 evaluat\$5 analyz\$5) near6 request) near10 (XML "extensible markup language")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/26 08:34 |
| S237 | 3 | S236 and ((compar\$5 evaluat\$5 analyz\$5) near5 ((xml "extensible markup language") near5 rule)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/26 08:35 |
| S238 | 1 | "6585778".PN. | USPAT; USOCR | OR | ON | 2007/11/26 08:39 |
| S239 | 1 | "6569207".PN. | USPAT; USOCR | OR | ON | 2007/11/26 08:45 |
| S240 | 1 | "6519617".PN. | USPAT; USOCR | OR | ON | 2007/11/26 08:49 |
| S241 | 1 | "7143190".PN. | USPAT; USOCR | OR | ON | 2007/11/26 08:49 |
| S242 | 1 | "6480865".PN. | USPAT; USOCR | OR | ON | 2007/11/26 09:14 |
| S243 | 1 | "6446256".PN. | USPAT; USOCR | OR | ON | 2007/11/26 09:14 |
| S244 | 1 | "6446256".PN. | USPAT; USOCR | OR | ON | 2007/11/26 09:51 |
| S245 | 1 | "6446110".PN. | USPAT; USOCR | OR | ON | 2007/11/26 09:52 |
| S246 | 1 | "6411974".PN. | USPAT; USOCR | OR | ON | 2007/11/26 09:53 |
| S247 | 1 | "6289501".PN. | USPAT; USOCR | OR | ON | 2007/11/26 09:54 |
| S248 | 1 | "5956726".PN. | USPAT; USOCR | OR | ON | 2007/11/26 09:56 |
| S249 | 0 | ((conver\$5 format\$5 transform\$5) near5 (to near3 xml)) | USPAT; USOCR | OR | ON | 2007/11/26 09:57 |

| S250 | 823 | ((conver\$5 format\$5 transform\$5) with ((plain- text html) near3 xml)) | USPAT; USOCR | OR | ON | 2007/11/26 09:59 |
|------|-----|--|---|----|----|---------------------|
| S251 | 0 | ((conver\$5 format\$5 transform\$5) with ((access near3 request) near8 ((plain-text html) near3 xml))) | USPAT; USOCR | OR | ON | 2007/11/26 10:00 |
| S252 | 0 | ((convert\$5 format\$5 transform\$5) near7 (access near3 request)) with (("palin text" plain- text html htm) near3 xml) | USPAT; USOCR | OR | ON | 2007/11/26 10:01 |
| S253 | 1 | (((specific and general) near4 attack) with alert) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:02 |
| S254 | 0 | (((specific and general) near4 attack) with warning) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:03 |
| S255 | 0 | (((specific and general) near4 (attack compromiz \$5)) with warning) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:03 |
| S256 | 1 | (((specific and general) near4 (attack compromiz \$5)) with (alert warn\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:03 |
| S257 | 1 | (((((((network client) near3 (specific targeted)) and (general group))) near4 (attack compromiz\$5)) with (alert warn\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:05 |
| S258 | 6 | ((((network client) near3 (specific targeted aimed)) near4 (attack compromiz \$5)) with (alert warn\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:06 |
| S259 | 2 | "6971028".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:07 |
| S260 | 3 | "20020178383" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:13 |

| S261 | 1846 | (test\$5 assess\$5) with (plurality near5 networks) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:30 |
|------|------|---|---|----|----|---------------------|
| S262 | 38 | (test\$5 assess\$5) with (plurality near5 networks) and (vulnerabilit\$5 near5 network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:31 |
| S263 | 0 | ((test\$5 assess\$5) with (plurality near5 networks)) and (vulnerabilit\$5 near5 ((other another) near4 network)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:31 |
| S264 | 0 | ((test\$5 assess\$5) with (vulnerabilit\$5 near5 ((other another) near4 network))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:32 |
| S265 | 0 | ((test\$5 assess\$5 analyz \$5 check\$5) with (vulnerabilit\$5 near5 ((other another) near4 network))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:32 |
| S266 | 0 | ((test\$5 assess\$5 analyz \$5 check\$5) with (vulnerabl\$5 near5 ((other another) near4 network))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:34 |
| S267 | 0 | ((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) with (vulnerabl\$5 near5 ((other another) near4 network))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:34 |
| S268 | 0 | ((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) with (vulnerabl\$5 near5 ((other another next) near4 (network subnetwork domain)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:35 |
| S269 | 0 | ((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) with ((vulnerabl\$5 compromiz\$5) near5 ((other another next) near4 (network subnetwork domain)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:35 |

| S270 | 0 | ((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) with ((vulnerabl\$5 compromiz\$5) near5 ((other another next) near4 (network subnetwork sub-network domain)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:35 |
|------|----|--|---|----|----|---------------------|
| S271 | 3 | ((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) with ((vulnerabl\$5 compromiz\$5 attack\$4) near5 ((other another next) near4 (network subnetwork sub-network domain)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:36 |
| S272 | 12 | ((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) with ((vulnerabl\$5 compromiz\$5 attack\$4) near5 (localized specific targeted aimed))) with (alert warning) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:39 |
| S273 | 12 | S272 not S271 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:39 |
| S274 | 1 | ((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) with ((vulnerabl\$5 compromiz\$5 attack\$4) near5 ((localized specific) and (distributed general)))) with (alert warning) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:41 |
| S275 | 2 | ((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) with ((vulnerabl\$5 compromiz\$5 attack\$4) near5 (signature pattern routine))) with ((alert warning) near5 (domain network subnetwork)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:44 |
| S276 | 0 | ((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) with (new with ((vulnerabl \$5 compromiz\$5 attack\$4) near5 (signature pattern routine)))) with ((alert warning) near5 (domain network subnetwork)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:46 |

| S277 | 0 | ((((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) near5 (domain network subnetwork)) with (new with ((vulnerabl\$5 compromiz\$5 attack\$4) near5 (signature pattern routine)))) with (alert warning) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:46 |
|------|---|---|---|----|----|---------------------|
| S278 | 4 | ((((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) near5 (domain network subnetwork)) with (new with ((vulnerabl\$5 compromiz\$5 attack\$4) near5 (signature pattern routine)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:47 |
| S279 | 0 | (((test\$5 assess\$5 analyz \$5 check\$5 determin\$5) near5 (plurality near5 (domain network subnetwork))) with (new with ((vulnerabl\$5 compromiz\$5 attack\$4) near5 (signature pattern routine)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:49 |
| S280 | 0 | ((plurality near5 (domain network subnetwork)) with (new with ((vulnerabl \$5 compromiz\$5 attack\$4) near5 (signature pattern routine)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:50 |
| S281 | 0 | (((plurality multiple) near5 (domain network subnetwork)) with (new with ((vulnerabl\$5 compromiz\$5 attack\$4) near5 (signature pattern routine)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:50 |
| S282 | 0 | (((plurality multiple) near5 (domain network subnetwork)) with (new with ((vulnerabl\$5 compromiz\$5 attack\$4) near5 (signature pattern fingerprint)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:50 |
| S283 | 4 | (((plurality multiple) near5 (domain network subnetwork)) same (new with ((vulnerabl\$5 compromiz\$5 attack\$4) near5 (signature pattern fingerprint digest)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:51 |

| S284 | 19 | edge near5 (intrusion near2 detection) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 14:56 |
|------|-----|--|---|----|----|---------------------|
| S285 | 402 | (((plurality multiple) near5 (domain network subnetwork)) same (security near5 (assess\$5 check\$5 test\$5 determin \$5 evaluat\$5))) | USPAT; EPO; JPO; DERWENT; | OR | ON | 2008/11/04 15:02 |
| S286 | 22 | S285 and ((alert waring) with (vulnerability compromize attack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/04 15:04 |

11/5/08 12:37:06 PM

C:\ Documents and Settings\ ASherkat\ My Documents\ EAST\ Workspaces\ 10699005.wsp